

SAFETY DATA SHEET

1. SUBSTANCE AND SOURCE IDENTIFICATION

Product Identifier

SRM Number: 3133

SRM Name: Mercury (Hg) Standard Solution Other Means of Identification: Not applicable.

Recommended Use of This Material and Restrictions of Use

This Standard Reference Material (SRM) is intended for use as a primary calibration standard for the quantitative determination of mercury. A unit of SRM 3133 consists of five 10 mL sealed borosilicate glass ampoules of an acidified aqueous solution prepared gravimetrically to contain a known mass fraction of mercury. The solution contains nitric acid at a volume fraction of approximately 10 %.

Company Information

National Institute of Standards and Technology Standard Reference Materials Program 100 Bureau Drive, Stop 2300 Gaithersburg, Maryland 20899-2300

Telephone: 301-975-2200 Emergency Telephone ChemTrec: FAX: 301-948-3730 1-800-424-9300 (North America) E-mail: SRMMSDS@nist.gov +1-703-527-3887 (International)

Website: http://www.nist.gov/srm

2. HAZARDS IDENTIFICATION

Classification

Physical Hazard: Not classified.

Health Hazard: Acute Toxicity, Oral Category 4 Skin Corrosion/Irritation Category 1B Category 1 Serious Eye Damage/Eye Irritation Reproductive Toxicity Category 1A Category 2

STOT, Repeated Exposure

Label Elements Symbol



Signal Word DANGER

Hazard Statement(s)

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage. H362 May damage fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeat exposure.

Precautionary Statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

Do not breathe fume, mists, vapors, spray. P260 P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

Wear protective gloves, protective clothing, and eye protection. P280

SRM 3133 Page 1 of 7

If swallowed: Rinse mouth. Do NOT induce vomiting. P301 + P330 + P331P303 + P361 + P353 If on skin (or hair): Remove immediately all contaminated clothing. Rinse skin with water. If inhaled: Remove person to fresh air and keep comfortable for breathing. P304 + P340P305 + P351 + P338If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a doctor. P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents and container according to local regulations.

Hazards Not Otherwise Classified: Not applicable.

Ingredients(s) with Unknown Acute Toxicity: Not applicable.

3. COMPOSITION AND INFORMATION ON HAZARDOUS INGREDIENTS

Substance: Mercury in nitric acid solution

Other Designations:

Nitric acid (aqua fortis; hydrogen nitrate; azotic acid; engraver's acid) Mercury nitrate [nitric acid, mercury (II) salt; mercuric nitrate]

NOTE: Mercury in nitric acid solution forms a solvated mercury nitrate salt.

Components are listed in compliance with OSHA's 29 CFR 1910.1200; for the actual values see the NIST Certificate of Analysis.

Hazardous Component(s)	CAS Number	EC Number (EINECS)	Nominal Mass Concentration (%)
Nitric acid	7697-37-2	231-714-2	10
Mercury nitrate	10045-94-0	233-152-3	1.6
Non-Hazardous Component(s) Water	7732-18-5	231-791-2	>88

4. FIRST AID MEASURES

Description of First Aid Measures:

Inhalation: If adverse effects occur, remove to uncontaminated area. If not breathing, give artificial respiration or oxygen by qualified personnel. Seek immediate medical attention.

Skin Contact: Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get immediate medical attention. Thoroughly clean and dry contaminated clothing before reuse. Destroy contaminated shoes.

Eye Contact: Immediately flush eyes, including under the eyelids with copious amounts of water for at least 15 minutes. Seek immediate medical attention.

Ingestion: Contact a poison control center immediately for instructions. Do not induce vomiting. Give water to rinse out mouth. Never give liquids to a person with reduced awareness or becoming unconscious. If vomiting occurs, keep head lower than hips to prevent aspiration. If not breathing, give artificial respiration by qualified personnel. Seek immediate medical attention.

Most Important Symptoms/Effects, Acute and Delayed: Acid burns to skin, eyes, and lungs. Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed, if necessary: If any of the above symptoms are present, seek immediate medical attention.

SRM 3133 Page 2 of 7

5. FIRE FIGHTING MEASURES

Fire and Explosion Hazards: Negligible fire hazard. See Section 9, "Physical and Chemical Properties" for flammability properties.

Extinguishing Media:

Suitable: Use extinguishing media appropriate to the surrounding fire.

Unsuitable: None listed.

Specific Hazards Arising from the Chemical: Thermal decomposition will form oxides of nitrogen and mercury.

Special Protective Equipment and Precautions for Fire-Fighters: Avoid inhalation of material or combustion byproducts. Wear full protective clothing and NIOSH approved self-contained breathing apparatus (SCBA).

NFPA Ratings (0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe)

Health = 3

Fire = 0

Reactivity = 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment; see Section 8, "Exposure Controls and Personal Protection".

Methods and Materials for Containment and Clean up: Do not touch spilled material. Notify safety personnel of spills. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal. Isolate hazard area and deny entry.

7. HANDLING AND STORAGE

Safe Handling Precautions: See Section 8, "Exposure Controls and Personal Protection". Handle glass ampoules with care.

Storage: Store and handling in accordance with all current regulations and standards. Keep separated from incompatible substances (See Section 10 "Stability and Reactivity").

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits:

Component: Nitric acid

NIOSH (REL): $5 \text{ mg/m}^3 (2 \text{ ppm; TWA})$

10 mg/m³ (4 ppm; STEL) 65 mg/m³ (25 ppm; IDLH)

ACGIH (TLV): 5 mg/m³ (2 ppm; TWA)

10 mg/m³ (4 ppm; STEL)

OSHA (PEL): 5 mg/m³ (2 ppm; TWA)

Component: Mercury nitrate

NIOSH (REL): 0.05 mg/m³ [TWA, (except Organo alkyls) as Hg vapor (related to Mercury compounds]

NIOSH (REL): 10 mg/m³ [IDLH, (except Organo alkyls) as Hg vapor (related to Mercury compounds]

NIOSH (REL): 0.01 mg/m³ [Ceiling, (except Organo alkyls) as Hg vapor (related to Mercury compounds]

Potential for dermal absorption (related to Mercury compounds)

ACGIH (TLV): 0.025 mg/m³ (TWA, as Hg, vapor, related to Mercury compounds)

Skin - potential significant contribution to overall exposure by the cutaneous route

(related to Mercury inorganic forms)

OSHA (PEL): No occupational limits established.

Engineering Controls: Provide local exhaust or process enclosure ventilation system. Ensure compliance with applicable exposure limits.

Personal Protection: In accordance with OSHA 29 CFR 1910.132, subpart I, wear appropriate Personal Protective Equipment (PPE) to minimize exposure to this material.

Respiratory Protection: If workplace conditions warrant a respirator, a respiratory protection program that meets OSHA 29CFR 1910.134 must be followed. Refer to NIOSH 42 CFR 84 for applicable certified respirators.

SRM 3133 Page 3 of 7

Eye/Face Protection: Wear splash resistant safety goggles with a face shield. An eyewash station should be readily available near areas of use.

Skin and Body Protection: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Chemical-resistant gloves should be worn at all times when handling chemicals.

9. PHYSICAL AND CHEMICAL PROPERTIES

NOTE: The physical and chemical data provided are for the pure components. No physical or chemical data are available for this solution of mercury nitrate and nitric acid. The actual behavior of the solution may differ from the individual components.

Descriptive Properties:	Nitric acid (10 % of this SRM)	Mercury nitrate (1.6 % of this SRM)
Appearance	colorless to yellow	white to yellow solid
(physical state, color, etc.):	liquid	powder
Molecular Formula:	HNO_3	$Hg(NO_3)_2$
Molar Mass (g/mol):	63.01	324.61
Odor:	irritating odor	not available
Odor threshold:	not available	not available
pH:	1 (1 M)	not available
Evaporation rate:	not available	not available
Melting point/freezing point (°C):	-42 (-43 °F)	79 (174.2 °F)
Relative Density (g/L) as specific gravity (water = 1):	1.5027 at 25 °C	4.39
Vapor Pressure (mmHg):	47.9 at 20 °C	not available
Vapor Density (air $= 1$):	3.2	not available
Viscosity (cP):	not available	not available
Solubility(ies):	miscible with water and ether	soluble in water, acetone, ammonia, nitric acid, dilute acids; insoluble in alcohol
Partition coefficient (n-octanol/water):	not available	not available
Thermal Stability Properties:		
Autoignition Temperature (°C):	not applicable	not applicable
Thermal Decomposition (°C):	not applicable	not available
Initial boiling point and boiling range (°C):	83 (181 °F)	not available
Explosive Limits, LEL (Volume %):	not applicable	not available
Explosive Limits, UEL (Volume %):	not applicable	not available
Flash Point (°C):	not applicable	not available
Flammability (solid, gas):	not applicable	not available
10. STABILITY AND REACTIVITY		
Reactivity: Stable at normal temperatures and pressu	re.	
Stability Y Stable Un	sta hl e	

Stability: Stable Unstable X

Possible Hazardous Reactions: None listed.

Conditions to Avoid: Contact with combustible or incompatible materials.

Incompatible Materials: Acids, combustible materials, halo carbons, amines, bases, oxidizing materials, metals, halogens, metal salts, metal oxides, reducing agents, peroxides, metal carbide, cyanides.

Fire/Explosion Information: See Section 5, "Fire Fighting Measures".

SRM 3133 Page 4 of 7

Hazardous Decomposition: Thermal decomposition will produce oxides of nitrogen and mercur Hazardous Polymerization: Will Occur X Will Not Occur	ry.
<u> </u>	
11. TOXICOLOGICAL INFORMATION	
Route of Exposure: X Inhalation X Skin X Ingestion	
Symptoms Related to the Physical, Chemical and Toxicological Characteristics: Burning pactorrosion, eye, lung, and blood damage, and cancer.	ain and severe skin
Potential Health Effects (Acute, Chronic and Delayed):	
Inhalation: Inhalation of nitric acid can damage the mucous membranes and upper respiratory term exposure may cause irritation and inflammation of the upper respiratory tract, cough throat, shortness of breath, headache, dizziness, and nausea. Long term exposure to acid damage to teeth, bronchial irritation, chronic cough, bronchial pneumonia, and gastrointes Inhalation of high levels of mercury vapor may cause almost immediate dyspnea, cou vomiting, gingivitis, and metallic taste. Long term inhalation may result in mercury poisonir fine tremors and erethism.	hing, choking, sore I fumes may cause stinal disturbances. ugh, fever, nausea,
Skin Contact: Nitric acid can cause severe skin burns. Severity of the damage depends of and duration of exposure. Effects of acid burns may be delayed. Mercury nitrate exposure result in redness, pain, skin burns, and sensitization.	
Eye Contact: Nitric acid and mercury nitrate can cause severe eye irritation, corneal bur damage, or blindness. Severity of the damage depends on the concentration and duration of e	
Ingestion: Ingestion of this material is unlikely under normal conditions of use. If ingest cause severe burns and damage to the gastrointestinal tract. Ingestion of mercury nitrate may pain, burning mouth, sore throat vomiting, fatigue, and colitis.	
Numerical Measures of Toxicity:	
Acute Toxicity: Category 4, Oral. Nitric acid, Rat, Inhalation LC50: 130 mg/m³ (4 h) Mercury nitrate, Rat, Oral LD50: 26 mg/kg Mercury nitrate, Rat, Dermal LD50: 75 mg/kg	
Skin Corrosion/Irritation: This SRM contains >1 % of nitric acid and it is classified as Cat	tegory 1B.
Serious Eye damage/Eye irritation: This SRM contains >1 % nitric acid and it is classified	l as Category 1.
Respiratory Sensitization: Classification not possible.	
Skin Sensitization: Classification not possible. Mercury nitrate exposure may cause sensitization, however since this mixture is corrosinot possible.	ve, classification is
Germ Cell Mutagenicity: Not classified; no data available.	
Carcinogenicity: Not classified.	
Listed as a Carcinogen/Potential Carcinogen Yes X Nitric acid is not listed by NTP, IARC or OSHA as a carcinogen. Inorganic mercury compounds are listed by IARC as Group 3 (not classifiable).	No
Reproductive Toxicity: Category 1A; mercury can cross the placenta, reduce male sex dri female infertility, spontaneous abortions, birth defects, growth retardation, and contaminate b Nitric acid, Rat, Oral TDLo: 21 150 mg/kg (pregnant 1 d to 21 d) Nitric acid, Rat, Oral TDLo: 2345 mg/kg (pregnant 18 d)	
Specific Target Organ Toxicity, Single Exposure: Not classified.	
Specific Target Organ Toxicity, Repeated Exposure: Category 2; mercury can accumulate	e in body tissues.

SRM 3133 Page 5 of 7

Aspiration Hazard: No data available.

12. ECOLOGICAL INFORMATION

Ecotoxicity Data:

Nitric acid: Starfish (Asterias rubens) LC50 [renewal/aerated water]: 100 mg/L to 300 mg/L (48 h)

Mercury nitrate: No data available.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse effects: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Dispose of waste in accordance with all applicable federal, state, and local regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262, Waste Numbers: nitric acid - D001, D002; mercury nitrate - D001, D009, concentrations at or above the regulatory level of 0.2 mg/L.

14. TRANSPORTATION INFORMATION

U.S. DOT and IATA: UN1760, Corrosive liquid, n.o.s. (contains nitric acid), Hazard Class 8, Packing Group II, Excepted Quantities E2.

15. REGULATORY INFORMATION

U.S. Regulations:

CERCLA Sections 102a/103 (40 CFR 302.4): Nitric acid, 1000 lbs (454 kg) final RQ

Mercury nitrate, 10 lbs (4.54 kg) final RQ

SARA Title III Section 302 (40 CFR 355.30): Nitric acid, 1000 lbs (454 kg) final TPQ

SARA Title III Section 304 (40 CFR 355.40): Nitric acid, 1000 lbs (454 kg) EPCRA RQ

SARA Title III Section 313 (40 CFR 372.65): Mercury compounds, 1 % Supplier notification limit

Nitric acid, 1 % de minimis concentration

OSHA Process Safety (29 CFR 1910.119): Nitric acid, regulated 500 lbs TQ (≥94.5 % by weight)

SARA Title III Sections 311/312 Hazardous Categories (40 CFR 370.21):

ACUTE HEALTH: Yes. CHRONIC HEALTH: Yes. FIRE: No. REACTIVE: No. PRESSURE: No.

State Regulations:

California Proposition 65: Warning! This material contains a chemical (mercury) known to the state of California to cause reproductive/developmental effects.

U.S. TSCA Inventory: Nitric acid and mercury nitrate are listed.

TSCA 12(b), Export Notification: Not listed.

Canadian Regulations:

WHMIS Information: Not provided for this material.

SRM 3133 Page 6 of 7

16. OTHER INFORMATION

Issue Date: 21 March 2014

Sources: ChemAdvisor, Inc., MSDS *Nitric Acid*, 07 February 2014.

ChemAdvisor, Inc., MSDS Mercuric Nitrate, 23 December 2013.

Key of Acronyms:

Hygienists ALI Annual Limit on Intake NTP National Toxicology Program CAS Chemical Abstracts Service OSHA Occupational Safety and Health Administration CERCLA Comprehensive Environmental Response, PEL Permissible Exposure Limit
CAS Chemical Abstracts Service OSHA Occupational Safety and Health Administration CERCLA Comprehensive Environmental Response, PEL Permissible Exposure Limit
Compensation, and Liability Act
CFR Code of Federal Regulations RCRA Resource Conservation and Recovery Act
DOT Department of Transportation REL Recommended Exposure Limit
EC50 Effective Concentration, 50 % RM Reference Material
EINECS European Inventory of Existing Commercial RQ Reportable Quantity
Chemical Substances
EPCRA Emergency Planning and Community Right-to-Know RTECS Registry of Toxic Effects of Chemical Substances
Act
IARC International Agency for Research on Cancer SARA Superfund Amendments and Reauthorization Act
IATA International Air Transportation Agency SCBA Self-Contained Breathing Apparatus
IDLH Immediately Dangerous to Life and Health SRM Standard Reference Material
LC50 Lethal Concentration, 50 % STEL Short Term Exposure Limit
LD50 Lethal Dose, 50 % STOT Specific Target Organ Toxicity
LEL Lower Explosive Limit TLV Threshold Limit Value
MSDS Material Safety Data Sheet TPQ Threshold Planning Quantity
NFPA National Fire Protection Association TSCA Toxic Substances Control Act
NIOSH National Institute for Occupational Safety and Health TWA Time Weighted Average
NIST National Institute of Standards and Technology UEL Upper Explosive Limit
n.o.s. Not Otherwise Specified WHMIS Workplace Hazardous Materials Information System

Disclaimer: Physical and chemical data contained in this SDS are provided only for use in assessing the hazardous nature of the material. The SDS was prepared carefully, using current references; however, NIST does not certify the data in the SDS. The certified values for this material are given in the NIST Certificate of Analysis.

Users of this SRM should ensure that the SDS in their possession is current. This can be accomplished by contacting the SRM Program: telephone (301) 975-2200; fax (301) 948-3730; e-mail srmmsds@nist.gov; or via the Internet at http://www.nist.gov/srm.

SRM 3133 Page 7 of 7